


半月(山高)



←受注生産品

寸法表


(単位：mm)

内径 (w)	高さ(H)	線径 (φ)	内径 (w)	高さ(H)	線径 (φ)	内径 (w)	高さ(H)	線径 (φ)
4.5	5.0	1.2	15.0	14.0	2.5	30.0	24.5	3.9
6.4	6.7	1.5	18.0	15.0	2.4	40.0	30.0	3.9
9.0	12.0	1.8	18.0	16.0	3.0	45.0	36.0	3.0
10.0	7.0	2.0	20.0	14.0	3.0	45.0	36.0	3.9
10.5	8.0	1.6	21.0	19.0	2.8	45.0	36.0	5.0
11.0	12.0	2.5	21.0	20.5	3.9	50.0	36.0	3.0
12.0	10.0	1.5	24.0	21.0	3.0	50.0	36.0	3.9
12.0	10.0	1.8	24.0	21.0	3.5	50.0	36.0	5.0
12.0	8.0	2.5	24.0	20.0	3.9	60.0	47.0	6.0
13.5	11.5	1.8	30.0	15.0	3.0			
15.0	12.8	2.0	30.0	24.0	3.0			

材質：鉄（真鍮も対応あり） メッキ色：ニッケル・黒ニッケル（他メッキはお問い合わせ下さい）

サイズは各種用意してます。ロー付（溶接）もごさいます。お問い合わせください。

並半月



内径 (w)	高さ(H)	線径 (φ)	内径 (w)	高さ(H)	線径 (φ)	内径 (w)	高さ(H)	線径 (φ)
6.0	6.5	1.4	20.0	12.0	2.0	30.0	23.0	3.9
7.0	6.7	1.4	20.0	12.0	2.5	30.0	24.5	5.0
7.0	5.0	1.5	20.0	13.4	3.0	30.0	24.5	6.0
7.0	5.4	1.8	20.0	15.0	3.9	32.0	21.0	3.2
9.5	6.5	1.5	21.0	13.0	2.5	33.0	18.0	3.0
10.0	6.8	2.0	21.0	14.0	3.0	36.0	26.0	3.0
12.0	8.0	1.8	21.0	13.0	3.5	36.0	26.0	3.4
12.0	8.0	2.0	21.0	13.0	3.9	36.0	26.0	3.9
12.0	8.0	2.5	21.0	16.0	5.0	38.0	27.0	3.9
12.0	8.0	3.0	21.0	19.0	3.9	40.0	19.0	3.0
15.0	10.0	1.8	24.0	17.5	2.0	40.0	19.0	3.9
15.0	10.0	2.5	24.0	17.5	2.5	40.0	23.0	3.2
16.0	12.0	3.9	24.0	17.5	3.0	40.0	28.0	3.0
16.5	12.5	2.4	24.0	17.5	3.9	40.0	28.0	3.9
16.5	12.0	3.0	25.0	20.0	5.0	40.0	28.0	5.0
17.0	11.0	2.5	25.0	20.0	6.0	50.0	28.0	3.0
18.0	13.0	2.5	27.0	18.0	3.0	50.0	28.0	3.9
18.0	13.0	3.0	30.0	23.0	2.5	50.0	28.0	5.0
18.0	13.0	3.5	30.0	21.0	3.0	60.0	39.0	6.0
18.0	13.6	3.9	30.0	23.0	3.5	(単位：mm)		
19.0	18.0	3.0	30.0	17.0	3.9			

(単位：mm)

←受注生産品

材質：鉄（真鍮も対応あり） メッキ色：ニッケル・黒ニッケル（他メッキはお問い合わせ下さい）


サイズは各種用意してます。ロー付（溶接）もごさいます。お問い合わせください。

カ ン 類

TOKYO METAL

【3】

三角カン



内径 (w)	高さ(H)	線径 (φ)	内径 (w)	高さ(H)	線径 (φ)	内径 (w)	高さ(H)	線径 (φ)
6.0	6.0	1.2	18.0	16.0	2.5	36.0	28.0	3.5
9.0	7.0	1.4	18.0	16.0	3.0	36.0	28.0	3.9
10.0	7.0	1.6	20.0	16.0	3.4	40.0	35.0	3.2
11.0	10.0	2.0	20.0	21.0	3.9	40.0	35.0	3.9
11.0	14.0	2.0	21.0	19.0	2.5	40.0	24.5	3.5
13.0	10.5	2.0	21.0	19.0	3.0	40.0	24.5	3.9
13.0	16.0	2.5	22.0	28.0	3.0	45.0	40.5	5.0
15.0	12.0	2.0	24.0	22.5	3.9	45.0	42.0	6.0
16.0	13.5	2.0	25.0	22.0	3.0	50.0	44.5	5.0
16.0	13.5	2.3	30.0	27.0	3.0	(単位：mm)		
18.0	16.0	2.0	30.0	27.0	3.9			

(単位：mm)



←受注生産品

材質：鉄（真鍮も対応あり）

メッキ色：ニッケル・黒ニッケル（他メッキはお問い合わせ下さい）


サイズは各種用意してます。ロー付（溶接）もごさいます。お問い合わせください。

カ ン 類


TOKYO METAL

【 3 】

丸カン



内径 (w)	線径 (φ)	内径 (w)	線径 (φ)	内径 (w)	線径 (φ)	内径 (w)	線径 (φ)
6.0	1.6	15.0	2.4	28.0	3.0	45.0	5.0
6.0	1.8	15.0	3.0	30.0	3.0	45.0	6.0
6.0	2.0	15.0	4.0	30.0	3.9	48.0	5.0
8.0	1.6	18.0	3.0	30.0	5.0	48.0	6.0
8.0	1.8	18.0	4.0	32.0	3.9	50.0	4.0
8.0	2.0	19.0	2.3	33.0	5.0	52.0	3.0
9.0	1.5	19.0	2.5	36.0	3.0	52.0	3.5
10.0	1.8	21.0	3.0	36.0	3.9	54.0	6.0
10.0	2.0	21.0	3.5	36.0	5.0	60.0	5.0
10.0	2.5	21.0	3.9	36.0	6.0	60.0	6.0
12.0	1.8	24.0	3.0	40.0	3.0	60.0	7.0
12.0	2.0	24.0	3.5	40.0	3.9	63.0	4.0
12.0	2.5	24.0	3.9	40.0	5.0	80.0	6.0
12.0	3.0	26.0	4.0	40.0	6.0	(単位：mm)	
15.0	2.0	26.0	5.0	45.0	4.0		



←受注生産品

材質：鉄（真鍮も対応あり） メッキ色：ニッケル・黒ニッケル（他メッキはお問い合わせ下さい）


サイズは各種用意してます。ロー付（溶接）もごさいます。お問い合わせください。

カ ン 類

TOKYO METAL

【3】

角カン①




内径 (W)	高さ(H)	線径 (φ)	内径 (W)	高さ(H)	線径 (φ)	内径 (W)	高さ(H)	線径 (φ)
6.5	5.0	1.2	15.0	6.0	1.4	18.0	20.0	2.5
7.5	5.5	1.8	15.0	6.0	2.0	19.0	13.0	3.0
8.0	12.0	2.0	15.0	8.0	1.8	19.0	13.0	3.5
9.0	8.0	2.0	15.0	8.0	2.5	19.0	14.0	3.9
10.0	4.5	1.6	15.0	8.0	3.0	21.0	8.0	1.8
10.5	3.3	1.2	15.0	10.5	1.8	21.0	8.0	2.5
10.5	7.0	2.0	15.0	10.5	2.3	21.0	8.0	3.0
10.5	15.0	2.3	15.0	10.5	3.0	21.0	8.0	3.9
11.0	6.0	1.8	15.0	11.0	3.9	21.0	10.5	2.5
11.0	9.0	2.3	15.0	15.0	3.0	21.0	10.5	3.0
12.0	4.5	1.4	15.0	20.0	2.3	21.0	12.0	3.9
12.0	6.0	1.4	15.0	20.0	3.0	21.0	13.0	5.0
12.0	6.0	2.0	16.0	6.5	2.5	21.0	13.5	2.5
12.0	8.0	1.6	18.0	4.0	1.4	21.0	14.0	2.7
12.0	8.0	2.0	18.0	8.0	1.8	21.0	15.0	2.0
12.0	8.0	2.5	18.0	8.0	2.5	21.0	15.0	3.0
12.0	10.0	2.0	18.0	8.0	3.0	21.0	16.0	3.9
12.0	10.0	3.0	18.0	12.0	1.8	21.0	16.0	5.0
12.0	15.0	3.0	18.0	12.0	2.4	21.0	18.0	2.5
13.0	13.0	2.5	18.0	13.0	5.0	21.0	21.0	3.9

材質：鉄（真鍮も対応あり） メッキ色：ニッケル・黒ニッケル（他メッキはお問い合わせ下さい）

サイズは各種用意してます。ロー付（溶接）もごさいます。お問い合わせください。

角カン②




内径 (W)	高さ(H)	線径 (φ)	内径 (W)	高さ(H)	線径 (φ)	内径 (W)	高さ(H)	線径 (φ)
24.0	8.0	1.8	28.0	14.0	3.0	30.0	30.0	3.9
24.0	8.0	2.5	30.0	5.0	3.0	33.0	8.0	2.5
24.0	8.0	3.0	30.0	8.0	1.8	33.0	8.0	3.0
24.0	10.5	1.8	30.0	8.0	2.4	33.0	8.0	3.9
24.0	10.5	3.0	30.0	8.0	3.0	33.0	14.0	3.0
24.0	12.0	2.3	30.0	8.0	3.9	33.0	14.0	3.9
24.0	12.0	3.9	30.0	10.0	3.0	33.0	15.0	5.0
24.0	16.0	3.2	30.0	10.0	3.9	33.0	18.0	3.0
24.0	16.0	3.9	30.0	12.0	2.4	35.0	8.0	1.8
24.0	16.0	5.0	30.0	12.0	3.0	35.0	8.0	2.5
25.0	15.0	3.0	30.0	14.0	1.8	35.0	8.0	3.0
25.0	18.0	3.0	30.0	14.0	2.3	35.0	8.0	3.9
25.0	20.0	3.9	30.0	14.0	3.0	36.0	14.0	3.0
25.0	25.0	3.0	30.0	15.0	3.9	36.0	14.0	3.9
25.0	25.0	3.9	30.0	15.0	5.0	36.0	14.0	5.0
26.0	8.0	2.5	30.0	18.0	3.0	36.0	21.0	3.0
26.0	10.0	2.5	30.0	19.0	3.9	36.0	21.0	3.9
26.0	11.0	2.5	30.0	21.0	3.0	36.0	24.0	3.9
27.0	8.0	1.8	30.0	23.0	3.9	36.0	25.0	5.0
27.0	23.0	3.9	30.0	23.0	5.0	37.0	8.0	3.0

←受注生産品

材質：鉄（真鍮も対応あり） メッキ色：ニッケル・黒ニッケル（他メッキはお問い合わせ下さい）

サイズは各種用意してます。ロー付（溶接）もごさいます。お問い合わせください。

角カン③




内径 (W)	高さ(H)	線径 (φ)	内径 (W)	高さ(H)	線径 (φ)	内径 (W)	高さ(H)	線径 (φ)
38.0	21.0	3.0	45.0	12.0	3.2	50.0	40.0	5.0
38.0	30.0	3.9	45.0	15.0	3.9	52.0	15.0	3.0
38.0	34.0	5.0	45.0	19.0	3.2	52.0	15.0	3.9
39.0	14.0	3.0	45.0	23.0	3.9	52.0	15.0	5.0
39.0	14.0	3.2	45.0	30.0	5.0	52.0	20.0	3.0
40.0	8.0	2.0	46.0	8.0	2.5	52.0	20.0	3.9
40.0	8.0	2.5	46.0	8.0	3.0	55.0	12.0	3.2
40.0	8.0	3.0	50.0	6.0	3.2	55.0	23.0	3.9
40.0	8.0	3.9	50.0	8.0	2.0	60.0	8.0	3.9
40.0	10.0	3.0	50.0	8.0	2.5	60.0	12.0	3.2
40.0	10.0	3.9	50.0	8.0	3.2	61.0	23.0	3.9
40.0	12.0	3.9	50.0	8.0	3.9	62.0	15.0	3.9
40.0	14.0	3.0	50.0	12.0	3.2	62.0	30.0	3.9
40.0	14.0	3.9	50.0	12.0	3.9	70.0	12.0	3.2
40.0	14.0	5.0	50.0	20.0	5.0	70.0	23.0	3.9
40.0	19.0	3.9	50.0	23.0	3.9	70.0	30.0	3.9
40.0	20.0	5.0	50.0	25.0	5.0	80.0	12.0	3.2
40.0	24.0	3.9	50.0	28.0	3.9	80.0	23.0	3.9
40.0	26.0	5.0	50.0	30.0	5.0	85.0	20.0	3.0
42.0	30.0	5.0	50.0	35.0	5.0	100.0	12.0	3.2

←受注生産品

材質：鉄（真鍮も対応あり） メッキ色：ニッケル・黒ニッケル（他メッキはお問い合わせ下さい）

サイズは各種用意してます。ロー付（溶接）もごさいます。お問い合わせください。

ク ダ



内径 (w)	高さ(H)	線径 (φ)	ピン線径
12.0	8.0	2.0	1.4
12.0	10.0	3.0	1.8
15.0	10.5	2.3	1.8
15.0	10.5	3.0	1.8
18.0	12.0	2.4	1.8
18.0	13.0	3.0	2.4
18.0	14.0	3.9	2.4
21.0	14.0	2.7	1.8
21.0	16.0	3.9	2.8
24.0	16.0	3.2	2.8
24.0	16.0	3.9	2.8
25.0	20.0	3.9	2.8
27.0	23.0	3.9	2.8
30.0	19.0	3.9	2.8

内径 (w)	高さ(H)	線径 (φ)	ピン線径
30.0	23.0	3.9	2.8
30.0	23.0	5.0	3.9
36.0	24.0	3.9	2.8
36.0	25.0	5.0	3.9
40.0	19.0	3.9	2.8
40.0	24.0	3.9	2.8
40.0	26.0	5.0	3.9
45.0	23.0	3.9	2.8
45.0	30.0	5.0	3.9
50.0	23.0	3.9	2.8
50.0	28.0	3.9	2.8
50.0	35.0	5.0	3.9
60.0	23.0	3.9	2.8
	←受注生産品		

(単位：mm)

材質：鉄（真鍮も対応あり） メッキ色：ニッケル・黒ニッケル（他メッキはお問い合わせ下さい）

サイズは各種用意してます。ロー付（溶接）もごさいます。お問い合わせください。

カ ン 類

TOKYO METAL


【 3 】

Sカン ①

材質：鉄（ユニクロメッキ）

品番	パイプ径	(全長)A	(内径)B	(内径)C	(線径)D
No.3	10.0	29.0	12.0	9.0	2.0
No.4	13.0	36.0	15.0	12.0	2.3
No.5	16.0	44.0	19.0	15.0	2.5
No.6	19.0	48.0	21.0	15.0	3.1
No.8	25.0	63.0	29.0	22.0	3.1
No.10	32.0	82.0	38.0	28.0	4.0
No.12	38.0	91.0	45.0	28.0	4.5
No.16	50.0	101.0	54.0	28.0	5.0
No.20	64.0	130.0	68.0	38.0	6.0

(単位：mm)



材質：ステンレス

品番	パイプ径	(全長)A	(内径)B	(内径)C	(線径)D
No.3	10.0	29.0	12.0	9.0	2.0
No.4	13.0	36.0	15.0	12.0	2.3
No.5	16.0	44.0	19.0	15.0	2.5
No.6	19.0	50.0	22.0	16.0	3.0
No.8	25.0	64.0	29.0	22.0	3.5
No.10	32.0	84.0	39.0	29.0	4.0
No.12	38.0	94.0	47.0	29.0	4.5
No.16	50.0	105.0	56.0	28.0	5.0
No.20	64.0	132.0	70.0	39.0	6.0

(単位：mm)

Sカン②

材質：鉄（一部ステンレス）

品番	(全長)A	(内径)B	(内径)C
S-160	18.5	5.5	5.5
S-130	27.0	7.5	12.0
S-131	30.5	8.4	12.5
SH-12	37.0	9.5	18.5
SH-121	37.0	9.5	18.5
SH-11	38.0	10.0	18.0
S-80	44.5	11.0	20.0
S-60	57.0	18.0	25.0
5S環	44.0	9.5	16.0

(単位:mm)





ダックエスカン

材質：鉄(クロム・黒ニッケル)

品番	(全長)A	(内径)B	(内径)C	(線径)D
ds-50	100.0	30.0	50.0	4.5
ds-70	125.0	35.0	70.0	5.0
ds-90	150.0	40.0	90.0	5.0
ds-100	175.0	45.0	100.0	6.0

(単位:mm)



ロングエスカン

材質：鉄・ステンレス

品番	(全長)A	(線径)D
LS-85	85.0	4.0
LS-150	150.0	5.0
LS-180	180.0	6.0
LS-300	300.0	6.0
LS-450	450.0	6.0

(単位:mm)

Sカン③

材質：鉄(クローム)

SA-49 	SA-50 	SA-57 	SA-58 	SA-70 
SA-72 	SA-71 	SA-73 	SA-92 	SA-203 
SA-204 	SA-205 	SA-206 	SA-209 	たまご大 
たまご小 	SA-012 	SA-105 	SA-104 	SA-116 
SA-006 	SA-007 	SA-10 	SA-12 	SA-2 
SA-3 	SA-5 		SA-3330 	